Adaptive Lighting over Matter - Accessory Requirements

Developer Preview 1.1

Contents

1. Introduction	3
1.1. Purpose and Scope	3
1.2. Terminology	3
2. Overview	4
3. Accessory Requirements	5
3.2 Getting access to Adaptive Lighting over Matter	5
3.3 Adaptive Lighting Testing	5
3.4 Feedback to Apple	7
3.4.1. Issue Description and Reproducibility	7
3.4.2. Profiles	8
3.4.3. Logging	8
4. Revision History	9

1. Introduction

1.1. Purpose and Scope

This document goes over the process for eligible Matter lights to be added to the list of Adaptive Lighting devices in the Home App.

1.2. Terminology

- Accessory: A Matter device containing one or more Nodes.

2. Overview

In iOS 18 and later, Adaptive Lighting configures supported Matter lights to automatically adjust the color temperature throughout the day. Wake up to warm colors, stay alert and focused midday with cooler ones, and wind down at night by removing blue light.

This document goes over the process for eligible Matter lights to be added to the list of Adaptive Lighting devices in the Home App.

3. Accessory Requirements

3.1 Hardware Requirements

An accessory supporting Adaptive Lighting over Matter:

- Must support and advertise a range for the Color Temperature of at least 200 (physicalMinMired) to 370 mired (physicalMaxMired) (equivalent to 2700-5000 Kelvin)
- Is recommended to support a range for the Color Temperature of at least 178 (physicalMinMired) to 500 mired (physicalMaxMired) (equivalent to 2000-5600 Kelvin)

3.2 Getting access to Adaptive Lighting over Matter

Adaptive Lighting over Matter is available via a profile that can be downloaded <u>here</u>. This profile must only be shared with your company employees for performing internal testing, as described in section 3.3 of this document. The profile must be discarded once testing is done and results have been approved.

We want to ensure that users are not running into a known issue with earlier implementations of Matter on the accessory side leading to excessive *TimeRemaining* attribute (Attribute 2) when Adaptive Lighting is enabled [fix available via https://github.com/project-chip/connectedhomeip/pull/31778/files]. So we implemented a mechanism to track a minimum version of the accessory FW that addresses the issue and provides a good user experience in a database on our end. We will need you to provide the minimum FW version (*Matter SoftwareVersion attribute*) to be added in the database prior to launch.

We also need you to share the *Matter SoftwareVersion* attribute value for the current accessory build(s) that we have access to for testing purposes.

Once you are done with testing, file a Feedback Assistant ticket capturing:

- Title including "Request for Adaptive Lighting over Matter for Company name"
- Products of interest, VID, PID
- Current Matter Software Version attribute for the accessory FW to support Adaptive Lighting

3.3 Adaptive Lighting Testing

To ensure a good user experience, we are asking you to run through the list of test cases below and address any issue you identify on your end:

Adaptive Lighting Accessory Test Plan

No	Test	Instructions	Expected Results	Notes
1	Validate TimeRemaining attribute (Attribue 2) reporting	1. With Adaptive Lighting enabled, verify that the TimeRemaining Attribute (Attribute 2) is NOT reported more than once per minute.	1. TimeRemaining attribute is only reported 1/minute.	This test is to verify that attribute 2 is not being reported excessively which can cause users to experience network (Wi-Fi + Thread) issues.
2	Color Shift - Configuration - Resident	1. Add a Light that supports Adaptive Lighting feature via Home App 2. Add a resident that aligns with the iOS version that you are testing against 3. Background and then foreground the Home App	Upon adding a resident to a home, if the user has a light that supports the Color shift feature, the Home app shall present the user with the Color Shift swatch (under the accessory quick controls) within a reasonable amount of time. The subsequent launch of the Home app should present the user with onboarding.	
3	Color Shift - Configuration - New Bulb	1. Add a resident that aligns with the iOS version that you are testing against 2. Add a Light that supports Adaptive Lighting feature via Home App 3. Background and then foreground the Home App	Upon adding a light to the Home that supports the Color Shift Feature, the Color Shift swatch shall be selected by default. The subsequent launch of the Home app shall present the user with onboarding.	

No	Test	Instructions	Expected Results	Notes
4	Color Shift - CT(ColorTemperat ure) -> Full Spectrum Color	 Add resident to Home App Add supported light to Vendor App Onboard Light to Home from Vendor App Set CT in Home App Accessory	 After step 5, the colorMode should be set to 0 or 1. Check that the correct color from step 5 is reflected in the Home App in step 6 	If the Vendor App supports XY colorMode, the accessory must maintain accurate mapping of XY -> HS values after changing the color in the Vendor App
5	Color Shift - HS (HueSaturation) -> Full Spectrum Color	 Add resident to Home App Add supported light to Vendor App Onboard Light to Home from Vendor App Set HS Color in Home App Accessory	 After step 5, the colorMode should be set to 0 or 1. Check that the correct color from step 5 is reflected in the Home App in step 6 	1. If the Vendor App supports XY colorMode, the accessory must maintain accurate mapping of XY -> HS values after changing the color in the Vendor App

Once you are done with testing, you need to do the following:

- Send us the results of the test suite through the Feedback Assistant ticket created earlier
- Add the SoftwareVersion attribute corresponding to the FW validated through the test plan and including any fix for Adaptive Lighting in Feedback Assistant ticket

3.4 Feedback to Apple

Report issues/bugs to Apple through Feedback Assistant. This will help in timely triage and feedback.

Include the following information when reporting issues to Apple:

3.4.1. Issue Description and Reproducibility

Please provide the details of the issue and list the steps to reproduce them.

3.4.2. Profiles

The following profiles must be installed on the iOS/tvOS devices. Follow the instructions provided in the respective profile instructions document on how to trigger sysdiagnose logs for iPhone, HomePod, HomePod mini, or Apple TV.

- HomeKit:

• This profile helps in capturing HomeKit layer logs for issues related to Matter on iOS/tvOS.

3.4.3. Logging

Ensure you attach logs from the accessory and iOS/tvOS devices and provide an approximate time stamp of the issue. Refer to the section on the profiles that must be installed on iOS and tvOS devices.

4. Revision History

Revision History

Version	Date	Notes
1.0	2024-11-04	Developer Preview 1.0
1.1	2025-3-28	Added info on Color Temperature minimum and recommended ranges in 3.1 Hardware Requirements Modified test cases 4 and 5



Apple Inc. Copyright © 2025 Apple Inc. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer or device for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to be used in the development of solutions for Apple-branded products.

Apple Inc. One Apple Park Way Cupertino, CA 95014 408-996-1010

Apple, the Apple Logo, and HomeKit are trademarks of Apple Inc., registered in the U.S. and other countries. iOS is a trademark or registered trademark of Cisco in the U.S. and other countries and is used under license.

APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS IS," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY DEFECT, ERROR OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

Some jurisdictions do not allow the exclusion of implied warranties or liability, so the above exclusion may not apply to you.